



Fire Detection & Alarm System

- Fire alarm call points
- ⊙ Heat detector
- ⊙ Smoke detector
- ⊕ Audible warning device

Fire Fighting Equipment

- Fire Blanket
- ▽ Foam type extinguisher to BS 5306 Pt 8 (dielectric tested to BS EN 3-2)
- ▽ Carbon dioxide type extinguisher to BS 5306 Pt 8 and BS EN 3
- ▽ Class F extinguisher to BS 7937

Emergency Lighting

- ⊕ Illuminated exit boxes
- Emergency lighting luminaire

Notices

- ⊕ Notice - Push Bar to open

Miscellaneous

- Escape Route via Landlord's Area
- ⊙ Emergency Electrical Cut Off Switch

PROPOSED POOL TABLE

Area in which intoxicated liquor is sold and consumed. The seating area is part of the main terminal and accessible by members of the public consuming alcohol purchased from this unit or other licensed alcohol retailers

Restaurant facilities occur throughout the premises
Children and Young Persons will be allowed access to all public parts of the premises with exception to the Bar area

meandrew channing
5 The Cole-leys, Cotshill, Birmingham, B46 3BU
Tel: 0121 744 2571 Fax: 0121 744 9000
Email: m.channing@meandrewchanning.co.uk
www.meandrewchanning.co.uk

**YATES RESTAURANT
ADDITIONAL SEATING AREA
GLASGOW PRESTWICK INTERNATIONAL AIRPORT**
SSP UK Ltd
Licensing Plan
Project / Ref. GPJA T1 LS YR 0101/C Date Mar 2010
Drawing Scale 1-100

15.04.2013

Section 29
LICENSING (SCOTLAND) ACT 2005
APPROVED
VARIATION
SOUTH Ayrshire LICENSING BOARD
REF No 09/00077 (CA) PCH
DATE 15/04/13
SIGNED [Signature]