



FLOOR PLAN

OCCUPANT CAPACITIES OF AREAS::
 RESTAURANT 60 Persons / Covers
 RECEPTION/EVENTS 40 Persons
 PATIO AREA 50 Persons (Occasional Use & Weather Dependent)

TRAVEL DISTANCE & ROUTES OF ESCAPE::
 The Technical Standards identify the spaces as having an occupancy profile of 'Slow Evacuation'.
 Escape in one direction, only, has a recommended maximum travel distance of 15 metres - if more than one direction of travel is available the recommended maximum distance is 32 metres.

RESTAURANT
 The means of escape from the RESTAURANT is proposed to be the two gable end doors, which are spaced under 40 metres apart. The doors to the 'rooms' will be held open during normal occupation and the glass house will act as one space.

RECEPTION/EVENTS SPACE
 Escape through the reception/events area will be through the entrance doorway, direct to the outside. No location within the area is more than 9 metres from the doorway.

KITCHEN
 Escape from the KITCHEN will be through the entrance doorway, direct to the outside. No location within the area is more than 10.2 metres from the doorway.

TOILET BLOCK
 Escape from the toilet block will through the fire escape door, direct to the outside.

- FIRE ALARM LEGEND**
- SMOKE SENSOR
 - HEAT SENSOR
 - SMOKE DETECTOR WITH SOUNDER
 - HEAT DETECTOR WITH SOUNDER
 - SMOKE DETECTOR IN VOID AND REMOTE INDICATOR
 - ELECTRONIC SOUNDER
 - MANUAL CALLPOINT (BREAK GLASS)
 - FIRE ALARM PANEL
 - FIRE ALARM REPEAT PANEL
 - OUTPUT UNIT
 - ELECTRONIC SOUNDER BEACON
 - RADIO LOOP MODULE
 - INPUT UNIT
- FIRE FIGHTING EQUIPMENT**
- CO2 EXTINGUISHER - 2KG
 - WATER EXTINGUISHER - 6 LITRES
 - WATER EXTINGUISHER - 9 LITRES
 - WATER + ADDITIVE EXTINGUISHER - 6 LITRES
 - CHEMICAL EXTINGUISHER - 3 LITRES
 - FOAM EXTINGUISHER - 6 LITRES
 - FIRE BLANKET
- EMERGENCY LIGHTING**
- EMERGENCY LIGHT
- N.B. THE FULL SYSTEM HAS BEEN DESIGNED, INSTALLED, COMMISSIONED & CERTIFIED TO COMPLY WITH CATEGORY L3**



NOTES
 Internal dimensions are finished sizes unless otherwise stated.

REVISION SCHEDULE

Rev	Description	Date

LICENSING DRAWING

DO NOT SCALE FROM DRAWING :: SITE CHECK DIMENSIONS

All dimensions to be site checked by the Contractor and all discrepancies to be advised to the Architect prior to the work being commenced.
 Use stated dimensions only.

This Drawing Is Copyright.

This is the drawing referred to in my application

Dated :: 1st August 2022
 Signed :: Eric McMillan

CLIENT ::
Truestone Ark Limited

PROJECT ::
**Glenapp Castle Hotel,
 Ballantrae,
 South Ayrshire KA26 ONZ**

DRAWING ::
**Azalea Restaurant Floor Plan
 :: Liquor Licensing**

Scale 1:100	Date 01/08/22	Drawn by emcm
Job No. 22018	Drawing No. LL 020	Revision No. .

McMILLAN & CRONIN
 chartered architects & planning consultants

24 MAIN STREET, LARGS :: KA30 8AB tel. (44) 01475 686818 fax. (44) 01475 686331 mail@mcmillancronin.co.uk